



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/484,721	01/18/2000	Kozo Yokoyama	FUJH16.825	1024

7590 10/02/2002

HELFGOTT & KARAS PC
60th Floor
Empire State Building
New York, NY 10118

[REDACTED]
EXAMINER

GEHMAN, BRYON P

[REDACTED]
ART UNIT [REDACTED] PAPER NUMBER

3629

DATE MAILED: 10/02/2002

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No.	Applicant(s)
	09/484,721	YOKOYAMA, KOZO
	Examiner	Art Unit
	Bryon P. Gehman	3629

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) Responsive to communication(s) filed on 18 January 2000.
 - 2a) This action is FINAL. 2b) This action is non-final.
 - 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.
- Disposition of Claims**
- 4) Claim(s) 1-12 is/are pending in the application.
 - 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
 - 5) Claim(s) _____ is/are allowed.
 - 6) Claim(s) 1-12 is/are rejected.
 - 7) Claim(s) 5,6,11 and 12 is/are objected to.
 - 8) Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) The specification is objected to by the Examiner.
- 10) The drawing(s) filed on _____ is/are: a) accepted or b) objected to by the Examiner.

Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) The proposed drawing correction filed on _____ is: a) approved b) disapproved by the Examiner.

If approved, corrected drawings are required in reply to this Office action.
- 12) The oath or declaration is objected to by the Examiner.

Priority under 35 U.S.C. §§ 119 and 120

- 13) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) All b) Some * c) None of:
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.
- 14) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
 - a) The translation of the foreign language provisional application has been received.
- 15) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

Attachment(s)

- | | |
|--|--|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) Paper No(s). _____ . |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449) Paper No(s) <u>3</u> . | 6) <input type="checkbox"/> Other: _____ |

Claim Rejections - 35 USC § 112

Claims 2, 4-6, 8 and 10-12 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. In claims 2 and 8, the last line of each, "according to the specification" is indefinite, as it appears to refer to the specification of the application and is thereby misleading, as no other "specification" has been antecedently provided.

In claim 5, lines 6-7 and claim 11, lines 6-7, "is (are) only monitored and controlled" is indefinite, as "point" should be modified by "only", not "monitored and controlled".

In claim 8, line 1, "The method" lacks antecedent basis.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1-4 and 7-10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Barrett (5,103,391) in view of Kojima et al. (5,295,263). Barrett discloses a system

and method for controlling replacement of terminal equipment connected to plural points to be managed in a building comprising a center device (13, 23, 25, 27) to control information relating to the point(s) (15) to be managed. Kojima et al. disclose a controller including a table (management table) including addresses of existing terminal equipment (plural external devices 9) that are switched due to a change in status of the equipment. To modify the system and method of Barrett employing the controller construction and use of Kojima et al. would have been obvious in order to switch the connecting status of the terminal equipment without interruption.

As to claims 2 and 8, a human-machine interface section and processor (25 and 27) is disclosed.

As to claims 3-4 and 9-10, the parameter data displayed on the CRT may constitute a flag (see col. 8, lines 9-24).

Allowable Subject Matter

{ Claims 5-6 and 11-12 would be allowable if rewritten to overcome the rejection(s) under 35 U.S.C. 112, second paragraph, set forth in this Office action and to include all of the limitations of the base claim and any intervening claims.

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. DeWolf et al. disclose a system and method for controlling replacement of terminal equipment connected to plural points to be managed in a building comprising a center device (12) to control information relating to the point(s) (16) to be managed. Barrett discloses a system and method for controlling replacement of terminal equipment connected to plural points to be managed in a building comprising a center device (13, 23, 25, 27) to control information relating to the point(s) (15) to be managed. Mochizuki et al. disclose a system and method for controlling replacement of terminal equipment connected to plural points to be managed in a building comprising a center device (1) to control information relating to the point(s) (20a, 22a) to be managed. Terauchi disclose a system and method wherein a plurality of addresses are held in a table to access terminal equipment. The Bobek article discloses a central building management system with the equipment being replaced.

Telephone inquiries regarding the status of applications or other general questions, by persons entitled to the information, should be directed to the group clerical personnel and not to the examiner. As the official records and applications are located in the clerical section of the examining Tech Center, the clerical personnel can readily provide status information without contacting the examiner. See MPEP 203.08. The Tech Center clerical receptionist number is (703) 308-1113.

In receiving an Office Action, it becomes apparent that certain documents are missing, e. g. copies of references, Forms PTO 1449, PTO-892, etc., requests for copies should be directed to Tech Center 3600 Customer Service at (703) 306-5771, or e-mail CustomerService3600@uspto.gov .

Any inquiry concerning the merits of the examination of the application should be directed to Bryon Gehman at telephone number (703) 308-3866. My work schedule is normally Tuesday through Friday from 6:30 am through 4 pm.

Should I be unavailable during my normal working hours, my supervisor John Weiss may be reached at (703) 308-2702. The FAX phone numbers for formal communications concerning this application are (703) 305-7687 and (703) 305-3597. Informal communications may be made, following a telephone call to the examiner, by an informal FAX number to be given.

Other possibly helpful telephone numbers are:

Allowed Files & Publication	(703) 305-8322
Assignment Branch	(703) 308-9287
Certificates of Correction	(703) 305-8309
Drawing Corrections/Draftsman	(703) 305-8404/8335
Fee Questions	(703) 305-5125
Intellectual Property Questions	(703) 305-8217
Petitions/Special Programs	(703) 305-9282
Terminal Disclaimers	(703) 305-8408
Information Help Line	1-800-786-9199

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 308-1113.

BPG
September 26, 2002



Bryon P. Gehman
Primary Examiner